## Blue Cross Blue Shield/Blue Care Network of Michigan Medication Authorization Request Form



This form is to be used by participating physicians to obtain coverage for **drugs covered under the medical benefit**. For <u>commercial members only</u>, please complete this form and submit via fax to 1-877-325-5979. If you have any questions regarding this process, please contact BCBSM Provider Relations and Servicing or the Medical Drug Helpdesk at 1-800-437-3803 for assistance.

Nonprofit corporations and independent licensees of the Blue Cross and Blue Shield Association

PATIENT INFORMATION	PHYSICIAN INFORMATION			
Name	Name			
ID Number	Specialty			
D.O.B.	Address			
Diagnosis	City /State/Zip			
Drug Name Avastin, Alymsys, Mvasi, Vegzelma, Zirabev	Phone: Fax:			
Dose and Quantity	NPI			
Directions	Contact Person			
Date of Service(s)	Contact Person Phone / Ext.			
STEP 1: DISEASE STATE INFORMATION				
Required Demographic Information:  Patient Weight:kg				
Patient Height:ftinches				
Will the provider be administering the medication to the FEP member within the health plan's geographic service area?  Yes No If No, a prior authorization is not required through this process.  Prior authorizations are required for FEP members that will be serviced by a provider within the health plan's geographic service area. If you are not a provider in the geographic service area, please contact the health plan for questions regarding the FEP member's benefit requirements.  Is this member's FEP coverage primary or secondary coverage?  If primary, continue with question set.  If secondary, an authorization is not needed through this process. Please contact the member's primary coverage for determination of benefit and additional information.				
accermmation of senem and additional mitorinations				

## **Criteria Questions:**

Į	□Alymsys (bevacizumab-maly)	□Avastin (bevacizumab)	□Mvasi (bevacizumab-awwb)
Į	□Vegzelma (bevacizumab-adcd)	□Zirabev (bevacizumab-bvzr)	
Ĺ.	Has the patient been on this medication co ☐ YES – this is a PA renewal for CONTI ☐ NO - this is INITIATION of therapy,	INUATION of therapy, please answer to	
2.			elma (bevacizumab-adcd): Does the patient have an et to ONE of the following medications: Zirabev or
3.	<ul> <li>Metastatic cervical cancer OR □ Per a. Will the patient be treated with paclib. Will the patient receive treatment w</li> <li>*If NO, will the patient be treated</li> </ul>	disease following prior therapy? \(\begin{align*} \Pexicon \text{Yes} \\ \text{ristent cervical cancer} \\ \text{OR} \\ \Boxed{\text{PRecurred}} \text{Taxel (Taxol)? } \Boxed{\text{Yes}} \Boxed{\text{No}} \text{No}*	
	□ First-line treatment: Is the patie □ Second-line treatment: Will the fluoropy *If YES, select answer: □5-Fl	ent receiving concurrent IV chemothera patient be receiving concurrent therapy rimidine-oxaliplatin chemotherapy, or	with fluoropyrimidine-irinotecan chemotherapy, 5-fluorouracil-based chemotherapy? \(\sigma\)Yes* \(\sigma\)No luoropyrimidine-irinotecan chemotherapy
	☐ Metastatic hepatocellular carcinoma (H a. Has the patient received prior syste	ICC) <u>OR</u> □Unresectable hepatocellu	ilar carcinoma (HCC)
	□Non-squamous non-small cell lung cand a. Is this medication being used as fir b. Is the cancer unresectable, locally		Yes □No
	□Ocular disease resulting from intravitres  a. Please select one of the following be □Angioid streaks □Ocu □Diabetic macular edema □Prog □Neovascular glaucoma □Reti b. Will this medication be used in cor inhibitors for ocular indications? □ *If YES, specify the medication:	al neovascularization including: below: lar histoplasmosis	na secondary to retinal vascular occlusion (Wet) Age-related Macular Degeneration (AMD) (liabetic retinopathy other Vascular Endothelial Growth Factor (VEGF)
	(faricimab-svoa) □Epithelial ovarian cancer OR □Fa a. Is the patient undergoing the initial i. Is the cancer a stage III or ii. Will this medication be gi followed by this medication	llopian tube cancer OR □ Primary surgical resection? □ Yes* (*If YES, an stage IV disease? □ Yes □ No	araplatin) and paclitaxel (Taxol) for up to 6 cycles

□Recurrent Platinum Resistant: Will this medication be given concurrently with paclitaxel (Taxol/Onxal), pegylated liposomal doxorubicin (Doxil/Caelyx), or topotecan (Hycamtin)? □Yes* □No  *If YES, please select one of the following below: □paclitaxel (Taxol/Onxal) □pegylated liposomal doxorubicin (Doxil/Caelyx) □topotecan (Hycamtin) □Recurrent Platinum Sensitive: Will this medication be given in combination with carboplatin (Paraplatin) and paclit (Taxol) followed by this medication as a single agent? □Yes □No*  *If NO, will this medication be given in combination with carboplatin (Paraplatin) and gemcitabine (Gemzar) follo this medication as a single agent? □Yes □No  c. Is the patient's cancer considered to be advanced? □Yes* (*If YES, answer the following questions) □No  i. Will this medication be given in combination with olaparib (Lynparza)? □Yes □No  ii. Has the patient had a complete or partial response to platinum-based chemotherapy? □Yes* □No  *If YES, please select one of the following below: □Complete response to platinum-based chemotherapy □Partial response to platinum-based chemotherapy  d. Is the cancer associated with homologous recombination deficiency (HRD) positive status? □Yes* □No  *If YES, is the homologous recombination deficiency positive status defined by deleterious or suspected deleterious B mutation or defined by genomic instability? □Yes* (*If YES, select one of the following below) □No □Deleterious or suspected deleterious BRCA mutation OR □Genomic instability	wed
CONTINUATION OF THERAPY (PA RENEWAL)  NOTE: Form must be completed in its entirety for processing  Please select medication:  Alymsys (bevacizumab-maly)	
1. Has the patient been on this medication continuously for the last 6 months excluding samples? Please select answer below:  □NO - this is INITIATION of therapy, please answer the questions on the initiation section  □YES - this is a PA renewal for CONTINUATION of therapy, please answer the questions below:  2. What is the patient's diagnosis?  □Glioblastoma multiforme (GBM)  a. Will this medication be used as a single-agent therapy? □Yes □No  □Metastatic cervical cancer OR □Persistent cervical cancer OR □Recurrent cervical cancer  a. Will the patient be treated with paclitaxel (Taxol)? □Yes □No  b. Will the patient be treated with cisplatin? □Yes □No*  □INO  □Metastatic colorectal cancer  a. Is this medication being used as first-line treatment or second-line treatment? □Yes* (*If YES, select answer below) □No  □First-line treatment: Is the patient be receiving concurrent IV chemotherapy with 5-Fluorouracil (5-FU)? □Yes □No  □Second-line treatment: Will the patient be receiving concurrent therapy with fluoropyrimidine-irinotecan chemotherapy,  □INO  □Second-line treatment: □S-Fluorouracil-based chemotherapy □Fluoropyrimidine-irinotecan chemotherapy  □INO  □INO	Io

by

☐Ocular d	lisease resulting from in	ntravitreal neovascularization in	cluding:	
a. Plea	ase select one of the fol	lowing below:		
	ngioid streaks	Ocular histoplasmosis	☐Macula:	r edema secondary to retinal vascular occlusion
	iabetic macular edema	☐Progressive high myopia		cular (Wet) Age-related Macular Degeneration (AMD)
$\square$ N	eovascular glaucoma	□Retinopathy of prematurity	□Prolifer	ative diabetic retinopathy
b. Wil	l this medication be use	ed in combination therapy with	Syfovre or	with other Vascular Endothelial Growth Factor (VEGF)
	bitors for ocular indica		•	
*]	If YES, please specify t	the medication:		
		vu (brolucizumab-dbll), Eylea/Eyle	ea HD (aflil	bercept), Lucentis (ranibizumab), Susvimo (ranibizumab), Vabysmo
	(faricimab-svoa)			
		☐ ☐ Fallopian tube cancer ☐		
a. Wil	I this medication be use	ed as single agent therapy post i	nitial surg	ical resection? □Yes □No
b. Is tl	he cancer recurrent plat	inum resistant or recurrent plati	num sensi	tive? \( \subseteq \text{Yes*} \) \( \subseteq \text{Cancer is not recurrent} \)
	If YES, please select o			
			tion be giv	ven concurrently with paclitaxel (Taxol/Onxal), pegylated
		bicin (Doxil/Caelyx), or topotec		
		select one of the following belo		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		ixol/Onxal)  pegylated lipos		orubicin (Doxil/Caelyx) □topotecan (Hycamtin)
				and as single agent therapy?  \( \textstyle
c Ist		sidered to be advanced? The Yes		a as single agent therapy: $-2.105$
		cation be given in combination v		rib (Lynparza)*? □Yes □No
•	ij ies, will tills illetik	ation be given in combination v	witti Olapai	ib (Lynparza) : Tes Tho
□Ot1	her (please specify):			
<b>-</b> 00	iici (pieuse specijy).			<del></del>
Chart notes are				ting medical information necessary for our review (required)
				nature and date are not reflected on this document.
☐ Request for exp	edited review: I certify that applying	the standard review time frame may seriously j	eopardize the li	fe or health of the member or the member's ability to regain maximum function
Physician's Na		Physician Signat	ure	Date
Step 2:	Form Completely I			☐ Attach test results
Checklist	Provide chart note	S		
Step 3:	By Fax: BCBS	SM Specialty Pharmacy Mailbo	ОX	By Mail: BCBSM Specialty Pharmacy Program
Submit		1-877-325-5979		P.O. Box 312320, Detroit, MI 48231-2320